



Heather Shirley Smith
Deputy General Counsel

Duke Energy
40 W. Broad Street
Suite 690
Greenville, SC 29601

o: 864.370.5045
f: 864.370.5183

heather.smith@duke-energy.com

July 30, 2019

VIA ELECTRONIC FILING

The Honorable Jocelyn G. Boyd, Esquire
Chief Clerk/Administrator
The Public Service Commission of South Carolina
101 Executive Center Drive, Suite 100
Columbia SC 29210

Re: **Application Regarding the Acquisition of Progress Energy, Incorporated
by Duke Energy Corporation and Merger of Progress Energy Carolinas,
Incorporated and Duke Energy Carolinas, LLC
SAIDI and SAIFI Reliability Indices
Docket No.: 2011-158-E**

Dear Ms. Boyd:

Pursuant to Regulatory Condition 11.3, on a quarterly basis Duke Energy Carolinas, LLC (“DEC”) and Duke Energy Progress, LLC (“DEP”) must provide to the Commission and to the Office of Regulatory Staff the System Average Interruption Duration Index (“SAIDI”) and the System Average Interruption Frequency Index (“SAIFI”).

The tables below give the SAIFI and SAIDI results for DEC and DEP on a 12-month roll, with and without Major Event Day(s) (“MEDs”). The IEEE Standard 1366-2003 “Guide for Electric Power Distribution Reliability Indices” method is used for calculating these indices.

Jurisdiction	Date Range	Without MEDs		With MEDs	
		SAIFI	SAIDI	SAIFI	SAIDI
South Carolina Duke Energy Carolinas	12 Months Ending 06/30/19	1.07	192	1.61	531
South Carolina Duke Energy Progress	12 Months Ending 06/30/19	1.43	159	2.62	1,491

Jurisdiction	Date Range	Without MEDs		With MEDs	
		SAIFI	SAIDI	SAIFI	SAIDI
South Carolina Duke Energy Carolinas	YTD 06/30/19	0.46	82	0.57	119
South Carolina Duke Energy Progress	YTD 06/30/19	0.82	87	0.99	119

The Honorable Jocelyn G. Boyd
July 30, 2019
Page 2

Please let me know if you have any questions.

Sincerely,



Heather Shirley Smith

Enclosures

cc: Ms. Nanette Edwards, Office of Regulatory Staff
Ms. Dawn Hipp, Office of Regulatory Staff
Mr. Michael Seaman-Huynh, Office of Regulatory Staff